FAX NO. 4067287367 FAX NO.

P. 02 P. **03**

SOLICITATION, OF	PPR 1 9	OLICITATION NO.	10.700.0				
AND AWARD		CONTAINING.	, —	SOLICITATION	3. DATE ISSUED	PAGE OF PAGES	
(Construction, Alteration, o	or Repair) DA	CW87-02-R-0026		ED BID (IFB)	13-Jun-2002	1 OF 109	
MPORTANT - The "offer" section on the reverse must be fully completed by offeror.							
IMPORIAN) - The "offer";	section on the	reverse must be fully con	npleted by of	leror.			
4. CONTRACT NO.		5. REQUISITION/PURCHA	SE REQUES	T NO.	6. PROJECT NO.		
DACW67-02-C-0017	· · · · · · · · · · · · · · · · · · ·						
7. ISSUED BY	CODE	DACW87	10.00		1		
USA ENGINEER DISTRICT, SEAT		- DATO (10)	O. AL	DRESS OFFER TO	(if Other Than Item 7)	CODE	
ATTN: CENWS-CT P.O. BOX 3755				ice Itom 7			
SEATTLE WA 98124-5755				ioe itom /			
TEL:206-764-3772							
9. FOR INFORMATION		208-764-8817	TE	=	FAX:		
CALL:	A. NAME			B. TELEPHONE N	IO. (Include area code,	(NO COLLECT CALLS)	
	BONILIE L L	ACKEY		(206) 764-4481		· · ·,	
			BOLICITATIO	M.			
NOTE: in sesied bid soll	citations "off						
10. THE COVERNMENT OF	O IDES SES	at and otteror mean	old and p	idder".			
10. THE GOVERNMENT RE	COIRES PERF	ORMANCE OF THE WORK	C DESCRIBE) IN THESE DOCUM	MENTS (Title, identifyin	g no., dele):	
Furnish all labor, materials a accordance with the attache	ind equipment	and perform all for work for I	Design/Build A	Ur Fire Depot Coordi	nation Contac Missourie	Mirriana la	
accordance with the attache	so Couract Cla	uses, Special Clauses, Ted	hnical Specific	ations and Drawing	B	* sacretelishin Ri	
1. 30110100010	II DACMO7-U	2-R-0026 dated 13 J	une 2002 i	vith 2 amendme	nts hereto.		
2. Wage Determ	: :	LETTO CO. C. C.					
2. waye beterm	inations:	MT020001 with 1 mo	dification	and MT020033	with 1 modifica	tion.	
o. brawings as	iisted in	Section 00800.					
4. See page 000	110_3a +bm	00040 24 5 474		_			
occ page out	oro-sa thirt	00010-3d for Alter	rations to	Contract.			
•							
					•		
11. The Contractor shall begin		49.1 10					
11. The Contractor shall begin	per sorting (Car	oslendar dej	ra and comple	te it within 160	calendar days after re	cetving	
award. X notice to pro	eed, This peri	mance period is men	rdetory, 🔲	regotiable. (See_		1	
12 A. THE CONTRACTOR MILE "YES," Indicate within how i	JOT FURNISH	ANY REQUIRED PERFORI	MANCE AND	PAYMENT BONDS	7 128. CALENDA	A DAVE	
(a)	THITY CHISNOS	days after award in Item 121	B.)		Table Grand	IN DATS	
					5		
3. ADDITIONAL SOLICITATI		MENTS:					
A. Sealed offers in original an	d2	copies to perform the work.	ranidad esc.	(10. 01 the c1			
ocal time 03 Jul 2002 (date). If this is a pooled bid collection are due at the place specified in Item 8 by 02:00 PM (hour)							
shall be marked to show the offeror's name and address, the solicitation number, and the date and time offers are due. An offer superplace							
3. An offer guarantee k, X is not required.							
2. All offers are subject to the (1) work requirements, and (2) other provisions and clauses incorporated in the solicitation in full text or by reference.							
. Offers providing less than	90	tod days for \$	HONS AND CHAU	ses incorporated in t	he solicitation in full text	or by reference.	
		ar days for Government ac	ceptance after	the data offers are	duc will not be consider	ed and will be rejected.	
SN 7540-01-155-3212		1442-					

SEP-09-2002 MON 10:58 AM

FAX NO.

P. 04

			SOLICH	TATION, OFFE	R, AND AV	VARD (Cor	rtinued)			
				(Construction	n, Alteration	, or Repair)	·			
14 NAME AND 15	DDF00.OF	0000		OFFER		illy complete				
14. NAME AND ADDRESS OF OFFEROR (Include ZIP Code)						Include area (code)			
MCS Envir	connenta	al, Inc	•		16 REMIT	728-775	5		erent (han Rem 14)	
5562 Allo	y South	n.			IO. ICEMIT	I ANGE ADD!	CESS (INCIDE	н о огч <i>у и о</i> вте	imatuman Rem 14)	
Missoula,	MT 59	808			See Item	14				
						•				
CODE FACILITY CODE					1			•		
17. The offeror agre	es to perfon	m the work	equired at the	e prices specified	below in stric	d accordance	with the torn	of this solic	station, if this offer is	
	A 40-14-160-17 TI	micra Planish	W 20	CAMPORE DAVE OF	er the date o		//			
the minimum requin	ements state	ed in Rem 1;	10. Falluro 1	o insert any numbi	er means the	offeror eccep	ts the minimu	m in Nem 13.	D.)	
AMOUNTS SI	FF 60\185.									
AMOUNIS 8	EE SCHEDL	JLE OF PRI	CES	•						
18. The offeror agre	es to furnish	DOV PROVIN	4 00000000							
•		(The set)	T Walescania	9. ACKNOWLED	SMENT OF A	MENDMENT	8			
AMENDMENT NO.				PM recoul of amendm		- 646		wch)		
AMENDMENT NO.	0001	0002		_ 1						
DATE	7/19/02	7/26/02	,			†		·	 	
20A. NAME AND TO					-		L			
OFFER (Type or p	rice of Per rin() Wards 1	K Three	CHUZED TO) SIGN	208. SIGNY	more V	س()()		20C. OFFER DATE	
-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	N WIID				11-1	W SZ	2	8/30/02	
21. ITEMS ACCEPT	En.			ARD (To be con	replaced by C	overnmedt)	1			
	, . ,					- 1				
See Altera	tions in	Contrac	t							
22. AMOUNT		23. ACCOL	INTING AND	APPROPRIATIO	W DATA					
\$932,000.00	İ			is in Contrac						
24. SUBMIT INVOIC	ES TO ADO									
/4 copies unitses amenica				26	2.01	TER THAN FL	ILL AND OPE	_	TION PURSUANT TO	
26. ADMINISTERED	AV			20		J.S.C. 2304(c)		41 U.S.C). 253(c)	
		COD				MENT WILL I	SE MADE BY:	COD	€	
			Engineer	's Seattle Di	st us	Army Corp	s of Engir	eets Fin	anace Center	
Northwest Are		e			CEP	CEPC-AO-P				
PO Box 92146					5722 Integrity Drive					
Tillicum, WA	98492-0					Millington, TN 38054				
100 1000		CONTR	ACTING OF	MCER WILL COM	PLETE ITEL	20 OR 20 A	SAPPLICABL			
28. NEGOTIATE		ENT /Carin	ومنسفت ورجو	to olgan shall					chargest)	
descript and reason repress to excurry cirics) Contractor agrees To furnish and debut off turns or partners all work, requisitors stayingly				Year offer	29. AWARD (Contractor is not required to sign this decumped.) Year offer on this satisfaction, is hereby assepted as to the Bures Select. This award con-					
on the form and any continues on shoots for the consideration obtaind in this content. The rights and contents of the portion to this content abull he personned by (a) the content abull he			-	Sufference the control, which conside of (a) the Government soficiation and your other, and (b) this particular count. No further controlled designant to forcessary						
			Personal y							
AND DESCRIPTION OF REAL PROPERTY.	DML, AMS SERVI	که این این این این است	and in the dis-	rtet,						
NA SECOND IN 194	-									
O SIGH (Type or p	LE OF CON	TRACTOR	OR PERSON	AUTHORIZED	33A, 1646	OF CONTRACT	ING OFFICER	(The	oo or prieti	
11770 0174					i	ERYL A. AN		****		
OB. SIGNATURE		3	OC. DATE			rie M	DOLASON DOL	lL:		
				31B. UNI	TED STATES	OF AMERIC		JIC. AWARD DA		
ICAL SEAR CO.					BYCL	ust II	Mall	usu-	13 Post 0	カック
SN 7540-01-155-32	12					1 300	BYANDA =	A CO	1 July 20	UK

IFB No: DACW67-02-R-0026

Contract No: DACW67-02-C-0017

ALTERATIONS IN CONTRACT

(FAR 52.252-4) (APR 1984)

PORTIONS OF THIS CONTRACT ARE ALTERED AS FOLLOWS:

1. Refer to SF 1442, BLOCK 23, Accounting and Appropriation data is as follows:

96X31220000 082433

3230GC73LG0WDD0A NA 96453

\$932,000.00

- 2. Items accepted: Base Line Items 0001 0004 and Optional Item 0008.
- 3. Revised drawings from Amendment 0001 dated 19 July 2002 were forwarded in hard copy format under separate cover.

The negotiated price includes the following deviations from the amended solicitation.


- 1. (00820-7,25) The project has been estimated using the costs associated with providing a separate building to house the backflow assemblies in lieu of placing the backflow assemblies inside the Coordination Center Mechanical Room. A narrative describing the separate building and the cost savings associated with the alternative location is attached.
- 2. (01451-1:5) One (1) person will fill the Project Superintendent & CQC System Manager roles.
- 3. (00820-5) Excess excavated earth materials will be disposed of on-site at a location determined by the Owner.
- 4. (00890-3) Existing trees to be removed will be limbed and disposed of on-site.
- 5. (00820-6) Under the direction and approval of the Structural Engineer, pit run gravel will be used for most backfilling.
- 6. (00820-10) Access flooring will not be provided in the Classroom. In-floor duct will be installed to accommodate the specified data requirements.
- 7. (00820-16) Commercial grade, roll-type carpet will be installed in lieu of carpet tiles. The carpet proposed will be a 26-28 oz., nylon loop, multi-colored roll carpet with a 10-year limited product warranty and a 1-year installation warranty. The use of chair rollers without chair pads will void the carpet warranty. According to the carpet suppliers contacted by MCS, the use of chair rollers compromises the product warranty for most types of carpets, including carpet tile.
- 8. (00820-16) Recessed entry mats will not be provided at entry vestibules.

- 9. (00820-16) Commercial grade, patterned vinyl sheet flooring will be provided in lieu of vinyl tile.
- 10. (00890-15) Epoxy coatings will be used in lieu of ceramic wall tiles.
- 11. (00890-17) Corner guards will not be provided.
- 12. (00820-12) Visual display boards will not be provided.
- 13. (00890-8) Hardwood window and door trim will not be provided. Windows will be wrapped with GWB in lieu of hardwood trim. Hollow metal door jams will be painted to match interior building trim.
- 14. (00820-12) Bookshelves will not be provided.
- 15. (00820-13) Modular cabinetry and countertops will not be provided for the Copy Area.
- 16. (00820-11) Docking station cabinetry and countertops will not be provided.
- 17. (00820-12) Supply Room shelving will not be provided.
- 18. (00890-19) Window blinds will not be provided.
- 19. (00820-10) Projector, screen and partition supports will not be provided. The building's structural components will be designed to accommodate the future addition of these items.
- 20. (00820-16) Grade II, heavy duty steel doors and frames will be installed in lieu of aluminum storefronts.
- 21. (00820-16) Interior and exterior doorframes will not be grouted.
- 22. (00820-16) The total number of vinyl windows will be reduced to fourteen (14).
- 23. (00820-10) The entire Chair and Table Storage Area will not be provided.
- 24. (00820-14) The exterior door to the 1st floor Mechanical Room will not be provided (interior access to the Mechanical Room will be provided).
- 25. (01061-3) The Contractor will not be required to obtain a General Discharge Permit for Storm Water Associated with Construction Activity.
- 26. (00820-15) Integral canopies at main & secondary entries will be provided.
- 27. (01001-2) The Contractor shall not provide all equipment, materials, and trained personnel to visually and audibly record (video tape) all on-site O&M training sessions for this contract.

- 28. (01001-2) The Contractor will not be required to complete a training plan.
- 29. (01501-2) The Contractor will not be required to submit a detailed written plan for housekeeping and clean-up. In lieu of this requirement, the Contractor's Corporate Health & Safety Plan will be submitted, which addresses housekeeping and job site clean-up.
- 30. (01703-1) The Contractor will not be required to develop the Warranty Management Plan. Warranty information will be included in the O&M Manuals, as per specifications listed on 07101-5.
- 31. The Contractor will not be required to submit a Site Specific Accident Prevention Plan. The Contractor's Corporate Health & Safety Plan addresses the occupational hazards associated with general construction. All personnel working on the project will be required to acknowledge reading and understanding the Corporate Health & Safety Plan.
- 32. (01320) Microsoft Project will be an acceptable computer software system for developing and maintaining the Project Schedule(s).
- 33. (00820-11) A 4' x 7" interior door will be installed in place of the double doors at the Computer Specialist's Office.
- 34. (00820-16) The south entrance double door will remain, with only one of the doors to be operational (locks, hardware etc.).
- 35. (00820-21) Hot water will not be piped to exterior hose bibs.
- 36. (00820-16) All ceilings (except in the stairwell) will be suspended acoustical ceilings, installed according to 00890-15.
- 37. (00820-15) The exterior cladding system will consist of 24 gauge metal panels on the top portion of the building and a Hardi Board finish system on the bottom. At the Owner's request, the two exterior cladding systems may be reversed (i.e. metal on the bottom, Hardi Board on top).
- 38. (00820-16) The floor finishes for the entire 1st Floor will consist of sealed concrete, carpet and vinyl flooring, per the SOW and this letter.
- 39. (00820-11) Both 1st Floor bathrooms will be finished.
- 40. (00820-20) The enclosed proposal does not include contingencies for cold weather concrete work, except concrete blankets. Monetary modification of the contract will be necessary if the concrete work should occur during cold weather and cold weather protection (beyond covering) of the concrete becomes necessary (i.e. tenting, heating, admixtures, etc.).
- 41. (00820-26) Schedule 40 PVC ductbank for primary power will not be concrete encased.
- 42. (00820-28) An emergency power circuit from the existing emergency generator and a

- 200-amp transfer switch will be provided. 2 ½ inch PVC conduit will be installed between the Loft Building and the new Coordination Center to accommodate the future connection of the Coordination Center to backup power.
- 43. (00820-28:30) The buildings lighting plan will not be revised without approval of the Owner.
- 44. (00820-31) Clock outlets will be provided.
- 45. (00820-32) Telephone and data lines will not be terminated at the Communications Room.
- 46. (00820-34) The phone access system will be provided.
- 47. (00820-29:31) Electrical trim-out will be provided in the Classroom or Computer Specialists Office.
- 48. (00820-28) Underground conduits and elbows will not be concrete encased.
- 49. (00820-27) Electrical service will be 600 Amp.
- 50. (00820-24) Acoustical liners in duct system will be installed so that the duct is only lined within 10 feet of the furnace(s).
- 51. (00820-23) Economizers will not be included with the HVAC system.
- 52. (00820-23) Energy modeling of the building using computer modeling will not be provided. A Bin Method analysis will be provided.
- 53. The Owner will supply MCS Environmental, Inc. and subcontractors with reasonable access to power and water throughout the duration of the project.
- 54. (01702-3.1.2) When submitted drawings are accepted the contractor shall furnish the accepted drawings and two CD- ROM's with the contract design drawing files in the AutoCAD format as indicated in this section.
- 55. (00820-3.6.5) Asphalt shingles shall be a minimum 300# per square.

IF THE CONTRACTOR IS A CORPORATION OR PARTNERSHIP, THE APPLICABLE PORTION OF THE FORM LISTED BELOW MUST BE COMPLETED. IN THE ALTERNATIVE, OTHER EVIDENCE MUST BE SUBMITTED TO SUBSTANTIATE THE AUTHORITY OF THE PERSON SIGNING THE CONTRACT. IF A CORPORATION, THE SAME OFFICER SHALL NOT EXECUTE BOTH THE CONTRACT AND THE CERTIFICATE.
CORPORATE CERTIFICATE
I, Wade K. Johnston, certify that I am the <u>appointed</u> Secretary of the Corporation named as Contractor herein; that <u>Wade K. Johnston</u> , who signed this contract on behalf of the Contractor was then <u>President</u> of said corporation; that said contract was duly signed for and on behalf of said corporation by authority of its governing body and is within the scope of its corporate powers.
(Secretary) (CORPORATE SEAL)
AUTHORITY TO BIND PARTNERSHIP
This is to certify that the names, signatures and Social Security Numbers of all partners are listed below and that the person signing the contract has authority actually to bind the partnership pursuant to its partnership agreements. Each of the partners individually has full authority to enter into and execute contractual instruments on behalf of said partnership with the United States of America, except as follows: (state "none" or describe limitations, if any)
This authority shall remain in full force and effect until such time as the revocation of authority by any cause whatsoever has been furnished in writing to, and acknowledged by, the Contracting Officer.
(Names, Signatures and Social Security Numbers of all Partners)
NAME SIGNATURE SOCIAL SECURITY NO.



AUG-30-2002 FRI 02:13 PM MCS

FAX NO. 4067287367

P. 02

DACW67-02-C-0017

02017/08

Design-Build: Missoula Fire and Technology Center Coordination Center, Missoula, MT

SCHEDULE

	SCHEDULE				
No.	Description of Item	Quantity	Unit	Unit Price	A
	Base Items			FIGH	Amount
000	Provide all labor, professional services, materials equipment and transportation necessary for the complete deelgn (including professional oversight services during construction), of the Coordination Center. USF6 Mescula Fire & Technology Center, as described herein and as further required to provide for development in accordance with the Contractor's proposed design and construction schedule.	1	JOB	LS.	\$ 70,421.08
0002	Provide all labor, material, equipment, and transportation necessary for the complete construction and equipping of the Coordination Center, USFS Missoula Fire & Technology Center, including all related site work, utility work and assembly and installation of Government furnished items, se described herein and as further required to provide for development in accordance with the Contractor's proposed design and construction schedule, axcept for items 0003 through 0005	1	JOB	LS.	8 840,515.80
0003	All Work for As-Built Drawings as specified in Section 01702 from preparation to final approval	1	JOB	L8.	
0004	All Work for OSM Manuals as specified in Section 01701 from preparation to final approval	1	JÓÈ	L.S.	\$ 5,000.00
	TOTAL BASE ITEMS				\$ 915,936.86
	OPTIONAL ITEMS			,	
0005	All Work to Provide Partition Wall System	1	JOB	L8.	\$ 23,889.69
2008	All Work to Deelgn and Install Fire Protection Sprinkler Bystem	1	JOB	L8.	NA per SOW
0007	All Work to Design and Install Fire Detection and Alarm System	1	JOS	LG.	\$ 17,464.08
2006	All Work to Provide Complete First Fluor Finishes	1	JOB	L.S.	3 18,063,14
	TOTAL OPTIONAL ITEMS				
	TOTAL BASE AND OPTIONAL ITEMS				\$ 57,416.91
OTE:	The dollar amounts carehitehed in these No. 1869			_	\$ 973.363.77

NOTE: The dollar amounts established in Items No. 0003 and 0004 shall not be revised by bidders.